

# 

# RIDE WITHOUT

You've always dreamed of owning the perfect machine. One that lets you explore where you want to go and ride like you want to ride. One that can handle the tough terrain yet look like a million bucks when it's sitting in the garage. And one that has not just a bell or whistle but all the bells and whistles standard—and at a price that's more affordable than those big-name brands. Well, ladies and gentlemen, your dream is here and ready for you to drive off. Choose exactly the machine you want from our full lineup. Get it at a price that won't break the bank, then get out there and go. Because when you ride a CFMOTO, you **Ride Without Compromise**.



# THE BEST KEPT SECRET IS NO LONGER A SECRET

春风动力

For over 30 years, CFMOTO has been a major supplier of engines, parts, and components for the off-road vehicle industry. But as our company evolved, our vision evolved. We put our engineering prowess to work to create more affordable off-road machines that included all the extras you expect to find on more expensive counterparts. And we did it at a price that can be 20–30% less than comparable machines on the market. Today, CFMOTO ATVs and side-by-sides are sold in over 80 countries. If you haven't heard of CFMOTO until now, just wait. Because when you see what you get with CFMOTO, it's hard to stay a secret.

NOT THE





### A GLOBAL COMPANY WITH BIG IDEAS.

Our factory in Hangzhou, China, encompasses over 1.6 million square feet. Every year we build hundreds of thousands of units to be shipped around the world and this number keeps on growing. Because we build on a global scale, we can bring our products to market at more affordable prices. The result is decked-out, unbelievable machines at better prices than the big guys. Here in the U.S, our distribution center in Kansas City, Missouri, is centrally located to deliver machines around the country. Our headquarters in Minneapolis, Minnesota, handles sales, marketing, service, and warranties along with a 50,000-square-foot warehouse to handle parts.

#### GLOBAL HEADQUARTERS HANGZHOU, CHINA

Research & Development ORV Assembly Machining Engine Assembly Painting Frame Plant Robotic Frame Welding Logistics Smart Manufacturing

#### U.S. HEADQUARTERS MINNEAPOLIS, MN

Sales Service/Warranty Parts Marketing

# FORCE SERIES

# FASTEN YOUR CHIN STRAPS HERE THEY COME

Sand, mud, rocks—don't let nasty obstacles get in the way when you're riding or you're buying. That's because the ZFORCE lineup of performance side-by-sides can provide a daily dose of thrills and just the right amount of dirt and grit in your teeth. For top-of-the-line performance, choose the amazing ZFORCE 950 Sport or the ZFORCE 800 EX, both feature the 60-inch-wide performance stance. The 500 and 800 Trail each have a 50-inch-wide trail stance which means there's a machine for any way you want to ride. And you'll find all the extra goodies you want for performance, comfort and styling. The best times are out there waiting. All you have to do is get in the driver's seat and go.

# ZFORCE FEATURES



LED array reflector style sets you apart. 80% brighter than halogen.



# SPORT

950 SPORT

Massive adjustable gas shocks work in tandem with multi-link trailing arms to take on whoops, ruts and dunes. An adjustable toe-in/toe-out feature lets you really dial in your ride.



The TFT (thin film technology) color display shows several engine vitals and also has a Bluetooth call indicator.

> HARD TOP PLASTIC ROOF Protection from the elements. Standard on all ZFORCE models.

**CUSTOM SEATS** High-style, high-quality, sculpted seats ensure optimum seating position and all-day comfort.

HALF DOORS This stylish feature comes standard and is a must-have on rugged trails.

> 12.2" GROUND CLEARANCE.

SPORT MODE

When you want to get more performance and power, switch to sport mode and watch the dirt fly (950 only).

800 EX

#### WINCH

Comes standard on every ZFORCE model. 950 has 3500 lb. winch while the 800 EX has 3000 lb. winch. All feature convenient remote control operation.

#### ALUMINUM ALLOY WHEELS PLUS CST PERFORMANCE TIRES

Lightweight aluminum machined polished rims are wrapped by durable performance tires.

# TRAIL

TRAIL STANCE

# 500 TRAIL 800 TRAIL



### SHOCKS

Trail models get compression/rebound adjustable shocks front, and rebound adjustable in the rear.

# CARGO NET

The reinforced nylon webbing net secures bulky items in your vehicle's cargo area.

HARD TOP PLASTIC ROOF Protection from the elements. Standard on all ZFORCE models.

CUSTOM-SEWN SEATS High-style, high-quality, sculpted seats ensure optimum seating position and all-day comfort for you and your passenger.

HALF DOORS Appreciated on the rugged trail—a standard feature on the 800 Trail.



#### TRAIL-READY MIRRORS

These durable side-view mirrors give you a better line of sight, providing more control in your environment.

3,000 POUND WINCH

Comes standard on all ZFORCE trail models. Winch features convenient remote-control operation.

# **ZFORCE<sup>®</sup> 950 SPORT**

60" wide with a 963cc V-twin cylinder EFI engine, <code>QuadLink</code> <code>``</code> trailing arm rear suspension, and <code>2WD/4WD/Front</code> differential lock.

60" wide with an 800cc V-twin cylinder EFI engine, 2WD/4WD/Front differential lock and half doors.



50" wide with an 800cc V-twin cylinder EFI engine, 2WD/4WD/Front differential lock and half doors.



**ZFORCE® 800 EX** 

 $50^{\circ}$  wide with a 495cc single cylinder EFI engine, 2WD/4WD/Front differential lock, plus side door nets.

# **ZFORCE**<sup>®</sup> 2021 SPECS



**500 TRAIL** 

Single cylinder, liquid cooled,

4-stroke, SOHC, 4-valve

38 HP @ 6800 RPM

32 ft. lbs. @ 5800 RPM

CVTech Automatic P/R/N/H/L

495cc

Bosch® EFI

#### **POWER & DRIVETRAIN**

ENGINE TYPE DISPLACEMENT MAX POWER MAX TORQUE FUEL SYSTEM TRANSMISSION

L×W×H WHEEL BASE **GROUND CLEARANCE** 

ADDITI

**FFATURES** 

2WD/4WD/Front differential lock 2WD/4WD/Front differential lock DRIVE DIMENSIONS 113" x 50" X 70" 113" x 50" X 70" 80'' 80'' 11.2" 11.2" 1311 lbs. 1279 lbs. CURB WEIGHT



**800 TRAIL** 

V-Twin cylinder, liquid cooled,

4-stroke, SOHC, 8-valve

62 HP @ 6700 RPM

53 ft. lbs. @ 6000 RPM

Wet Clutch Automatic P/R/N/H/L

800cc

Delphi® EFI



### 800 EX V-Twin cylinder, liquid cooled, 4-stroke, SOHC, 8-valve 800cc 62 HP @ 6700 RPM 53 ft. lbs. @ 6000 RPM Delphi® EFI

Wet Clutch Automatic P/R/N/H/L 2WD/4WD/Front differential lock

113" x 60" X 72"

80''

11.8"

1322 lbs.



963cc 79 HP @ 7000 RPM 60 ft. lbs. @ 6200 RPM Bosch® EFI

CVTech Automatic P/R/N/H/L 2WD/4WD/Front differential lock





#### **950 V-TWIN** 8-VALVE, SOHC, EFI 79 HP, liquid cooled, twin cylinder, 8-valve featuring Bosch® Electronic Fuel Injection and CVTech clutching.



800 V-TWIN 8-VALVE, SOHC, EFI 62 HP, liquid cooled, twin cylinder, 8-valve featuring Delphi® Electronic Fuel Injection and wet clutch with engine braking.



500 HO 4-VALVE, SOHC, EFI 38 HP, liquid cooled, single cylinder, 4-valve featuring Bosch® Electronic Fuel Injection and CVTech clutching.

ILAIUNES					
BRAKING	Hydraulic disc	Hydraulic disc	Hydraulic disc	Hydraulic disc	
SUSPENSION	Double A-arm independent	Double A-arm independent	Double A-arm independent	<b>Front:</b> Double A-arm independent <b>Rear:</b> QuadLink™ trailing arm independent	
SHOCKS	Front: High pressure gas, compression/rebound adjustable	Front: High pressure gas, compression/rebound adjustable	Front: High pressure gas, compression/rebound adjustable	Front: High pressure gas, compression/rebound adjustable	
	<b>Rear:</b> High pressure gas, rebound adjustable	<b>Rear:</b> High pressure gas, rebound adjustable	<b>Rear:</b> High pressure gas, compression/rebound adjustable	<b>Rear:</b> High pressure gas, compression/rebound adjustable	
WHEELS	14" Cast aluminum alloy	14" Cast aluminum alloy	14" Cast aluminum alloy	14" Cast aluminum alloy	
IONAL FEATURES	NAL FEATURES Electronic power steering, 3000 lb. winch, digital gauge, mirrors, LED headlight accents, roof, rear cargo net, tilt steering with steering wheel lock, side door nets, 2" receiver, horn		Electronic power steering, 3000 lb. winch, LED headlight accents, digital gauge, mirrors, rear cargo net, roof, tilt steering with steering wheel lock, half doors, 2" receiver, horn, engine braking	Electronic power steering, 3500 lb. winch, Pulse" digital gauge, Ridevision" LED headlights/taillights, roof, tilt steering with steering wheel lock, half doors, horn, 9.6 gal. fuel tank	
COLORS	Titanium Grey, Lava Orange	Lava Orange, Athens Blue, Pearl White	Lava Orange, Athens Blue, Pearl White	Mercury Silver/Teal, Ghost Grey/Orange, Fire Red	

# FORCE SERIES

12

# MACHINES BUILT TO FIT ANY JOB, ANY SHED AND ANY BUDGET

With UFORCE we have a full lineup of hard-working machines so you can choose the perfect model for you. That means you'll require less sweat getting the job done and no sweat getting your machine paid for. Leading the way for UFORCE is the awesome new UFORCE 600. It's perfect for the farm, cabin, or ranch with a 580cc engine, a powerful winch, and a can-do attitude. The UFORCE 1000 features a 3-person bench seat so it not only hauls butt, it can haul three butts at once. The 800 gets two bucket seats and the 600 gets a 2-person bench seat and both boast 600-lb. capacity cargo boxes. No matter which UFORCE machine you choose you've got a work partner that can more than hold its own.

# UFORCE FEATURES



For the ultimate capacity in a utility side-by-side, look no further than the UFORCE 1000. No job is too big for this machine with more hauling power thanks to the 1000 V-twin EFI engine. Add to that a larger volume rear cargo box, more interior storage and a 3-person bench seat and you're ready to get to work.

1000

## **3-PERSON BENCH SEAT**

A center console with integrated cup holders folds up, creating a bench seat with room for three adult passengers.

**ROOF** Comes standard on the 1000.

> ELECTRONIC POWER STEERING



PROJECTOR BEAM HEADLIGHTS WITH LED ACCENTS Bright white projector beam headlights with stylish LED strips.

**SIDE NETS** Keep brush and debris where it belongs, out of the cab.

**3,500 LB. WINCH** Features a wireless remote control for convenient operation.

> 1 Shown with optional accessories.

(1000 ONLY)

HANDY TIE DOWNS Come standard on the cargo box.

REMOVABLE STORAGE BOX

Under the seat you'll find ample storage space with a handy pull out tool box to help organize your gear.

27" CST PERFORMANCE TIRES Excellent traction in every terrain.

11.4" GROUND CLEARANCE.

TILTING CARGO BOX Unload easily with nitrogen gas-assisted dump box.



The newest member of the lineup, the UFORCE 600, brings eye-catching new styling, and work-saving features like a 2-person bench seat to bring along extra help, a robust 580cc engine for plenty of power, a compact chassis design that produces a shorter turning radius, and a 600 lb. capacity dumping cargo box to help get more done.

### 2-PERSON BENCH SEAT WITH UNDER-SEAT STORAGE

Comfortable 2-person bench seat lets you bring along extra help and the under-seat storage box lets them bring their gear too.

TILT STEERING WITH WHEEL LOCK Custom adjust to fit your ride style.

**ROOF** Comes standard.







LED array reflector style sets you apart. 80% brighter than halogen.

> **3,500 lb. WINCH** Features a wireless remote control for convenient operation.

CARGO CAPACITY 600 LBS.

BACKUP LIGHTS



LCD DISPLAY Monitor twelve engine vitals at a glance. DUMPING CARGO BOX Load and unload easily thanks to the nitrogen gasassisted dump box.

> SIDE NETS Keep brush and debris where it belongs, out of the cab.





963cc V-twin cylinder EFI engine, 1,000-lb. capacity rear cargo box, 3-person bench seat, roof, 3,500 lb. winch with wireless remote.



800cc V-twin cylinder EFI engine, 600-lb. capacity rear cargo box, 2 bucket seats, 3,500 lb. winch with wireless remote.



# **UFORCE**<sup>®</sup> 2021 SPECS



#### **POWER & DRIVETRAIN**

ENGINE TYPE DISPLACEMENT MAX POWER MAX TORQUE FUEL SYSTEM TRANSMISSION DRIVE

# Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve S80cc R 40 HP @ 6750 RPM E 36 ft. lbs. @ 5250 RPM M Bosch® EFI

1481 lbs.

600 lbs.

Hydraulic disc

Front: High clearance gull wing A-arm independent

Electronic power steering, electronic throttle, 3500 lb. winch

with wireless remote, 2-person bench seat, digital gauge,

Ridevision LED headlights and taillights with backup lights,

tilt steering with steering wheel lock, roof, large 9.25 gal.

fuel tank, 2" receiver, adjustable driver's seat,

Titanium Grev. Roval Blue. True Timber Camo

Rear: Double A-arm independent

Pre-load adjustable, oil damped

12" Cast aluminum alloy

removable storage box, horn

#### DIMENSIONS

L × W × H WHEEL BASE GROUND CLEARANCE CURB WEIGHT REAR CARGO CAPACITY 
 Bosch® EFI
 Delphi® EFI

 CVTech Automatic P/R/N/H/L
 Wet Cluch Automatic P/R/N/H/L

 2WD/WD/Front differential lock
 2WD/WD/Front differential lock

 110.5" x 57.25" x 75.5"
 117" x 57.6" x 73"

 76.34"
 72"

 10.25"
 10.2"

800

800cc

1377 lbs.

600 lbs

Hydraulic disc

Double A-arm independent

14" Cast aluminum alloy

Pre-load adjustable, oil damped

Electronic power steering, 3500 lb. winch with wireless remote,

digital gauge, mirrors, LED headlight accents, tilt steering with

steering wheel lock, engine braking, 2" receiver, horn

V-Twin cylinder, liquid cooled,

4-stroke, SOHC, 8-valve

62 HP @ 6700 RPM

53 ft. lbs. @ 6000 RPM

# FEATURES

BRAKING					
SUSPENSION					
SHOCKS					
WHEELS					

ADDITIONAL FEATURES



Titanium Grey, Lava Orange, True Timber Camo

Titanium Grey, Royal Blue, True Timber Camo



V-Twin cylinder, liquid cooled, 4-stroke, SOHC, 8-valve 963cc

79 HP @ 7000 RPM 60 ft. lbs. @ 6200 RPM Bosch® EFI CVTech Automatic P/R/N/H/L

2WD/4WD/Front differential lock

Front: High clearance gull wing A-arm independent

Electronic power steering, electronic throttle, 3500 lb. winch

mirrors, LED headlights/taillights, tilt steering with steering

with wireless remote, 3-person bench seat, digital gauge,

wheel lock, roof, large 10.5 gal. fuel tank, 2" receiver,

adjustable driver's seat, removable storage box, horn

Rear: Double A-arm independent

Pre-load adjustable, oil damped

14" Cast aluminum alloy

117" x 63.5" x 72.8"

80.7"

11.4"

1520 lbs.

1000 lbs.

Hydraulic disc



**1000 V-TWIN** 8-VALVE, SOHC, EFI 79 HP, liquid cooled, twin cylinder, 8-valve featuring Bosch<sup>®</sup> Electronic Fuel Injection and CVTech clutching.



800 V-TWIN 8-VALVE, SOHC, EFI 62 HP, liquid cooled, twin cylinder, 8-valve featuring Delphi® Electronic Fuel Injection and wet clutch with engine braking.



600 HO 4-VALVE, SOHC, EFI 40 HP, liquid cooled, single cylinder, 4-valve featuring Bosch® Electronic Fuel Injection and CVTech clutching.

# FORCE SERIES

# PACK EVERYTHING ESPECIALLY YOUR ADVENTUROUS SPIRIT

If your idea of a perfect day of exploring might actually be several days, the new CFORCE 1000 Overland is the machine for you. In addition to the 963cc powerplant and a long list of extras, the 1000 Overland has special hard-side travel cases so you can bring along plenty of gear. Throw in a tent, sleeping bags, fishing tackle, and hunting supplies—the possibilities are endless. Or choose the smooth riding 800 XC. Maybe you'd prefer the 600 Touring or 600, two next-generation chassis designs that are loaded to the hilt and full of style. If you'd rather ride a mid-size machine, pick either the 500 or 400 model. Anything you choose—whether for work or for play—the adventure begins aboard the CFORCE.

# CFORCE FEATURES



## 1000 OVERLAND

The CFORCE 1000 Overland has a 79 horsepower 963cc V-twin engine to take on countless miles of trails. Three quick-detach hard-side travel cases allow for plenty of gear so you can be fully-equipped for that next off-road adventure.

### **3 REMOVABLE** HARD-SIDE TRAVEL CASES

Protect extra gear from the elements and easily detach to take with you. Make room for an extra rider by adding the passenger seat accessory.



# FRONT FAIRING

An integrated windscreen and hand guards help protect the rider from the elements.

#### HEAVY DUTY BUMPERS

You'll find heavy duty steel front and rear bumpers to protect your machine.

#### 3.000 POUND WINCH With a handlebar-mounted control switch.

#### **BASH PLATE & SKID PLATES**

A high strength aluminum front bash plate, and durable full length HDPE skid plates to handle nasty rocks and stumps.

Projector beam headlamps with LED accents plus front LED floodlights deliver better terrain viewing.

### **BEADLOCK RIMS**

CST Clincher off-road tires on 14 inch rims with beadlocks, for when nature gets nasty.



ELECTRONIC POWER STEERING Variable assist electronic power steering gives you optimal steering feedback

in all conditions.

REAR TRAILING ARM SUSPENSION Equipped with fully adjustable gas shocks to help smooth out the ride.

# 2UP SCULPTED 2-UP SEATING

# 800 XC



If you want the latest technology for the trail, the CFORCE 800 XC is your machine. Bragging rights include a trailing arm rear suspension and premium brakes for great trail and off-road performance. You'll also enjoy sculpted 2-up seating, and even a USB port to keep those devices charged.

#### Bright white projector beam headlights accented with stylish LED strips.

### **TRAILING ARM REAR SUSPENSION**

Tackle rugged terrain and navigate tight, twisting trails with maximum comfort and confidence.

### COMPOSITE-OVER-STEEL FRONT AND REAR RACKS

Bring all your accessories and gear. These rugged racks feature a new composite-over-steel design for added durability and ease of attachment.

Variable assist electronic power steering gives you optimal steering feedback in all conditions.



ELECTRONIC

SCULPTED

2-UP SEATING

Superior support and optimized

seating position for all-day riding

comfort. Utilizes robust materials

and high-quality stitching for long-lasting durability.

ALUMINUM ALLOY WHEELS Lightweight aluminum rims are machined and polished for an

eye-catching finish.

**POWER STEERING** 

NEW HANDLEBAR CONTROLS INCLUDING HAND BRAKE AND PARKING BRAKE LEVER Designed with improved ergonomics. [1000 Overland and 800 XC]

> 3.000 POUND WINCH With a handlebar-mounted control switch.

#### FENDER FLARES

Rugged plastic is specifically designed to keep mud, water and debris away from rider and the machine.



The CFORCE 600 is available in a 1- or 2-up model. With a powerful 580cc EFI engine, these eye-catching machines offer more size and capacity. The 600 Touring model has a longer chassis and a comfortable sculpted high back passenger seat. Both 600s have extra cargo storage space located in the fender.

600 600 **TOURING** 



200P SCULPTED 2-UP SEATING (600 Touring Only)

Shown with optional accessories.

HAND GUARDS

Plastic reinforced for maximum hand protection.

### NEW FRONT AND REAR RACK DESIGN

Holds up to 100 lbs./75 lbs. front/rear for 600 Touring, 75/150 front/rear for 600 oneup. Designed to secure your cargo and attachments more easily.

HAND BRAKE WITH PARKING BRAKE LEVER



LED array reflector style sets you apart. 80% brighter than halogen.

**3,000 POUND WINCH** Comes standard with a handlebar-mounted switch.

**DIGITAL GAUGE** 

Keep an eye on the important stuff. Monitor twelve engine vitals at a glance.



**STORAGE COMPARTMENT** Ample storage space with easy access to all your personal items.



**USB PORT** Power up on the go. SCULPTED 2-UP SEATING (600 Touring only) Superior support and optimized seating position for all-day riding comfort.

FENDER FLARES Durable plastic flares minimize mud, water and debris from spraying over you and your machine.

> ALUMINUM ALLOY WHEELS Lightweight aluminum rims are machined and polished.

# CFORCE<sup>®</sup> FEATURES

Wanna break out and ride without breaking the bank? The CFORCE 400 and 500 are mid-size do-all machines that offer great value with lower price tags. Both feature rugged steel front and rear racks and halogen headlights. The 500 also gets aluminum rims, plus electronic power steering and a 2,500 lb. winch.

### HIGH INTENSITY HEADLIGHTS

Bright halogen headlights with LED accents help light up the trail.

> USB PORT Lets you power up on the go. Also has a 12 volt accessory outlet.

#### AUTOMOTIVE STYLE PAINT

The paint job is another sign of quality. Don't worry about getting it dirty. Simply hose it down and you're ready for your next adventure.

ALUMINUM ALLOY WHEELS Lightweight aluminum rims are machined and polished for an eye-catching finish. [500 only, 400 has steel] HAND BRAKE WITH PARKING BRAKE LEVER

> ELECTRONIC POWER STEERING Variable assist electronic power steering gives you optimal steering feedback in all conditions. (Not available on 400)

> > **2,500 POUND WINCH** With a handlebar-mounted control switch. (500 only)

### DIGITAL GAUGE

Keep an eye on the important stuff. Monitor twelve engine vitals at a glance.

### FRONT AND REAR STEEL RACKS

The rugged steel construction features 75 lb. front rack capacity and 150 lb. rear capacity.

### 500 HIGH OUTPUT ENGINE

400

500

4-VALVE, SOHC, EFI 38 HP, liquid cooled, single cylinder, 4-valve featuring Bosch<sup>®</sup> Electronic Fuel Injection and CVTech clutching. ARRIVING SPRING 2021



963cc V-twin cylinder EFI engine, heavy duty steel bumpers and skid plates, beadlock rims, 3 removable hard-side travel cases, trailing arm rear suspension, 3,000 lb. winch.





# CFORCE® 600 TOURING

580cc single cylinder EFI engine, 2-up seating, front and rear composite-over-steel racks, aluminum rims, 3,000 lb. winch, electronic power steering.



580cc single cylinder EFI engine, front and rear composite-over-steel racks, aluminum rims, 3,000 lb. winch, electronic power steering.



495cc single cylinder EFI engine, front and rear steel racks, aluminum rims, 2,500 lb. winch, electronic power steering.



398cc single cylinder EFI engine, front and rear steel racks, steel rims, digital gauge.

# **CFORCE**<sup>®</sup> 2021 SPECS



COLORS

Lava Orange, Royal Blue, Nebula

Black, True Timber Camo





Titanium Grey, Lava Orange, Royal Blue, True Timber Camo Titanium Grey, Lava Orange,

Athens Blue, True Timber Camo





<b>POWER &amp; DRIVETRAIN</b>	400	500	600	600 TOURING	800 XC	1000 OVERLAND
ENGINE TYPE	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	V-Twin cylinder, liquid cooled, 4-stroke, SOHC, 8-valve	V-Twin cylinder, liquid cooled, 4-stroke, SOHC, 8-valve
DISPLACEMENT	398cc	495cc	580cc	580cc	800cc	963cc
MAX POWER	31 HP @ 7200 RPM	38 HP @ 6800 RPM	40 HP @ 6750 RPM	40 HP @ 6750 RPM	62 HP @ 6700 RPM	79 HP @ 7000 RPM
MAX TORQUE	24 ft. lbs. @ 6000 RPM	32 ft. lbs. @ 5800 RPM	36 ft. lbs. @ 5250 RPM	36 ft. lbs. @ 5250 RPM	53 ft. lbs. @ 6000 RPM	60 ft. lbs. @ 6200 RPM
FUEL SYSTEM	Bosch® EFI	Bosch® EFI	Bosch® EFI	Bosch® EFI	Delphi® EFI	Bosch® EFI
TRANSMISSION	CVTech Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L
DRIVE	2WD/4WD/Front differential lock	2WD/4WD/Front differential lock	2WD/4WD/Front differential lock	2WD/4WD/Front differential lock	2WD/4WD/Front differential lock	2WD/4WD/Front differential lock
DIMENSIONS						
$L \times W \times H$	82.6" x 43.3" x 45.3"	82.6" x 43.3" x 45.3"	81.1" x 46.4" x 48"	88.9" x 46.4" x 53.1"	90.5" x 48" x 56.7"	90.5" x 48" x 56.7"
WHEEL BASE	49.6"	49.6"	50.4"	58.3"	58.3"	58.3"
GROUND CLEARANCE	9.8"	9.8"	10.6"	10.6"	11.2"	11.8"
CURB WEIGHT	742 lbs.	790 lbs.	870 lbs.	915 lbs.	993 lbs.	993 lbs.
FEATURES						
BRAKING	Hydraulic disc with parking brake	Hydraulic disc with parking brake	Hydraulic disc with parking brake	Hydraulic disc with parking brake	Hydraulic disc with parking brake	Hydraulic disc with parking brake
SUSPENSION	Double A-arm independent	Double A-arm independent	Double A-arm independent	Double A-arm independent	Front: High clearance A-arm independent Rear: Trailing arm independent	Front: High clearance A-arm independent Rear: Trailing arm independent
SHOCKS	Front: Spring pre-load adjustable, oil damped	<b>Front:</b> Spring pre-load adjustable, oil damped	<b>Front:</b> Spring pre-load adjustable, oil damped	<b>Front:</b> Spring pre-load adjustable, oil damped	Front: High pressure gas, rebound adjustable	<b>Front:</b> High pressure gas, rebound adjustable
	<b>Rear:</b> Spring pre-load adjustable, oil damped	<b>Rear:</b> Spring pre-load adjustable, oil damped	<b>Rear:</b> Spring pre-load adjustable, oil damped	<b>Rear:</b> Spring pre-load adjustable, oil damped	<b>Rear:</b> High pressure gas, compression and rebound adjustable	<b>Rear:</b> High pressure gas, compression and rebound adjustable
WHEELS	12" Steel	12" Cast aluminum alloy	12" Cast aluminum alloy	12" Cast aluminum alloy	14" Cast aluminum alloy	14" Cast aluminum alloy with bead locks
ADDITIONAL FEATURES	Digital gauge, USB port, engine braking, halogen headlights with LED accents, 2" receiver, 12 volt power outlet, horn	Electronic power steering, 2500 lb. winch, digital gauge, USB port, engine braking, halogen headlights with LED accents, 2" receiver, 12 volt power outlet, horn	Electronic power steering, 3000 Lb. winch, digital gauge, USB port, Bluetooth call indicator, engine braking, Ridevision™ LED headlights & taillights with backup lights, 2" receiver, hand guards, 12 volt power outlet, horn	Electronic power steering, 3000 Lb. winch, digital gauge, USB port, Bluetooth call indicator, engine braking, Ridevision <sup>™</sup> LED headlights & taillights with backup lights, 2" receiver, hand guards, 12 volt power outlet, horn	Brushless electronic power steering, 3000 lb. winch, USB port, projector beam headlamps with LED accents, digital gauge, 2" receiver, hand guards, 12 volt power outlet, horn	Brushless electronic power steering, 3000 lb. winch, USB port, projector beam headlamps with LED accents, digital gauge, 2" receiver, wind screen, 3 travel cases, hand guards, steel bumpers, heavy duty skid plates, LED floodlights, fender flares,12 volt power outlet, horn

Titanium Grey, Lava Orange,

Royal Blue, True Timber Camo

Fire Red, Lava Orange, Royal Blue,

True Timber Camo

Granite Ridge, VSX Midnight

# THE STUFF THAT DREAMS ARE MADE OF

For the first time ever, we're introducing an exciting line of accessories. From items like bumpers and windshields to rack extensions and cargo boxes and more, this new line will provide expanded capability and more options for our machines.









Introducing our new quick attach technology that secures accessories, and with a flip of a lever allows for easy detachment.



# **ZFORCE** ACCESSORIES



#### **FRONT BUMPER**

Fits MY20/21 ZFORCE 950 SPORT

- Built with 1.5-inch-thick powder coated steel
- Easily mounts to existing points/brackets
- Provides additional protection to front plastics

5BY#-801100-1000 \$249.99



### NERF BARS

- Fits MY20/21 ZFORCE 950 SPORT

  Built with 2-inch-thick powder coated steel
- Easily mounts to existing points/brackets
  Provides protection for side plastics

# Provides protection for 5BY#-801300-1000 \$199.99

### **KWT PARTICLE SEPARATOR**

- Fits MY20/21 ZFORCE 950 SPORT • Increased air flow, higher efficiency at
- removing dirt and dust particles
- Larger detachable dirt collection chamber has easy access

5BY#-805100-1000 \$399.99





REAR BUMPER Fits MY20/21 ZFORCE 950 SPORT - Built with 1.5-inch-thick powder coated steel - Fasily mounts to existing points/brackets

Easily mounts to existing points/brackets
 Provides additional protection to rear plastics
 5BY#-801200-1000
 \$199.99



#### HALF WINDSHIELD, POLY Fits MY20/21 ZFORCE 950 SPORT

Hard coated polycarbonate screen

- Quick, tool-less install with new clamp design
- Provides protection from outside elements

SEE YOUR DEALER FOR PRICING



#### **SIDE VIEW MIRRORS**

Fits MY20/21 ZFORCE 950 SPORT

- Mounts to standard roll cage
- Offers wide view

5BY#-805500-1000 \$149.99

# **UFORCE** ACCESSORIES



### **NERF BARS**

Fits MY2021 UFORCE 600

- Built with 2-inch-thick powder coated steel
- Easily mounts to existing points/brackets Provides protection for side plastics
- Includes step plate

5AS#-801300-6000 \$179.99

FRONT BUMPER

plastics and lights

5HY#-801100-1000

\$249.99

Fits MY20/21 UFORCE 1000

Provides full front protection for

Built with 1.5-inch-thick powder coated steel

Easily mounts to existing points/brackets



### **FRONT BUMPER**

Fits MY2021 UFORCE 600

- Built with 1.5-inch-thick powder coated steel
- · Easily mounts to existing points/brackets · Provides full front protection for
- plastics and lights

5AS#-801100-6000 \$229.99



#### **REAR BUMPER**

Fits MY2021 UFORCE 600

- Built with 1.5-inch-thick powder coated steel Easily mounts to existing points/brackets
- Provides full protection for rear of machine and lights
- Includes step plate for access to rear cargo area 5AS#-801200-6000

\$179.99



#### HALF WINDSHIELD, POLY Fits MY20/21 UFORCE 1000

SEE YOUR DEALER FOR PRICING

- Hard coated polycarbonate screen · Quick, tool-less install with new clamp design
- Provides protection from outside elements

Fits MY20/21 UFORCE 1000

- Built with 2-inch-thick powder coated steel
- Easily mounts to existing points/brackets
- Provides protection for side plastics
- Includes step plate

5HY#-801300-1000 \$199.99



### **NERF BARS**

DOORS

Fits MY2021 UFORCE 600

Hard coated polycarbonate screen

SEE YOUR DEALER FOR PRICING

Quick, tool-less install with new clamp design

Provides protection from outside elements

29

- **REAR BUMPER** Fits MY20/21 UFORCE 1000
- Built with 1.5-inch-thick powder coated steel
- Easily mounts to existing points/brackets
- Provides full protection for rear of machine
  - Includes step plate for access to rear cargo area

5HY#-801200-1000 \$249.99

# **CFORCE** ACCESSORIES



#### **FRONT BUMPER**

Fits MY20/21 CFORCE 600 & 600 Touring • Built with 1.5-inch-thick powder coated steel

Easily mounts to existing points/brackets
 Provides full protection for front of machine and lights

9DS#-801100-6000 \$199.99



FRONT RACK EXTENDER Fits MY20/21 CFORCE 600 & 600 Touring • Built with 22mm thick powder coated steel

Bolts easily into existing rack
 Adds storage security on racks
 9DS#-802100-6000
 \$99.99



WINDSHIELD Fits MY20/21 CFORCE 600 & 600 Touring • Hard coated polycarbonate screen • Stylized to match machine 9DS#-805000-6000 \$149.99



### SOFT STORAGE BAG

#### Fits MY20/21 CFORCE 600 & 600 Touring, MY20/21 CFORCE 800 XC

- Multiple dry compartments for extra storage
- Includes insulated portable pouch that Velcros inside
- Clips easily to rear rack extenders
- · Requires use of rear rack extenders to install

9DS#-809200-6000 \$229.99



#### REAR BUMPER Fits MY20/21 CFORCE 600 & 600 Touring

Built with 1.5-inch-thick powder coated steel

Easily mounts to existing points/brackets

 Provides full protection for rear of machine and lights

9DS#-801200-6000 \$199.99



### **REAR RACK EXTENDER**

Fits MY20/21 CFORCE 600 & 600 Touring • Built with 22mm thick powder coated steel

- Bolts easily into existing rack
- Adds storage security on racks
   **9DS#-802200-6000**

\$99.99

#### CARGO BOX

Fits MY20/21 CFORCE 600 & 600 Touring

- Dry storage
- Lightweight
- 24 Gallon Capacity
  Easily install using 4 included
- " Easily install using 4 i "CF Connect" clamps
- "CF Connect" clamp 9DS#-806100-6000

\$299.99



# **CFORCE** ACCESSORIES



### FRONT BUMPER

Fits MY20/21 CFORCE 800 XC

- Built with 1.5-inch-thick powder coated steel
- Easily mounts to existing points/brackets
- Provides full protection for front of machine and lights

9AW#-801100-2000 \$179.99



#### FRONT RACK EXTENDER Fits MY20/21 CFORCE 800 XC

Built with 22mm thick powder coated steel

Bolts easily into existing rack
Adds storage security on racks
9AW#-802300-2000

\$99.99



REAR RACK EXTENDER Fits MY20/21 CFORCE 800 XC • Built with 22mm thick powder coated steel • Bolts easily into existing rack

Adds storage security on racks

9AW#-802400-2000 \$99.99



#### REAR BUMPER Fits MY20/21 CFORCE 800 XC

- Built with 1.5-inch-thick powder coated steel
- Easily mounts to existing points/brackets
- Provides full protection for rear of machine and lights

9AW#-801200-2000 \$179.99



WINDSHIELD Fits MY20/21 CFORCE 800 XC • Hard coated polycarbonate screen

Stylized to match machine
 **9AW#-806000-2100**

\$149.99





Copyright 2021 Zhejiang CFMOTO Power Co. Ltd. All rights reserved. CFMOTO<sup>®</sup>, CFORCE<sup>®</sup>, UFORCE<sup>®</sup>, ZFORCE<sup>®</sup> and CFMOTO CF logo are trademarks of Zhejiang CFMOTO Power Co., Ltd. BOSCH<sup>®</sup> is a registered trademark of Robert Bosch GmbH. Delphi<sup>®</sup> is a registered trademark of Delphi Automotive PLC. CVTech<sup>®</sup> is a registered trademark of CVTech-AAB. All ZFORCE, CFORCE and UFORCE models feature a standard 12-month Limited Warranty. **WARNING**: CFMOTO recreational vehicles are intended for off-road use only and can be hazardous to operate. Read Owner's Manual and all product labels before operating. Never operate on paved roads. Operators and passengers must wear a helmet, eye protection and protective clothing. Operators must be at least 16 years old with a valid driver's license. Passengers, if permitted, must be at least 12 years old. Always use seat belts, cab netting and doors (if equipped). Never operate under the influence of alcohol or drugs. Avoid excessive speed and sharp turns, and never engage for more information, call the ATV Safety Institute at 1-800-887-2887, or go to www.atvsafety.org. ®2021 Zhejiang CFMOTO Power Co., Ltd.



3555 Holly Lane N., Suite #30 Plymouth, MN 55447 763-398-2690 info@cfmotousa.com

CFMOTOUSA.COM